

Lighting Solutions

# FFO3



furnware  
CABINET HARDWARE SPECIALISTS

### Efficient And Responsible Lighting Solutions

Domus Line is made in Italy and is the all new range of lighting solutions for cabinetry, proudly marketed by Furnware. This range is exclusively limited to lighting which is highly energy efficient and environmentally responsible. Using the latest technology Domus Line brings you the very latest in high quality LED lighting for cabinets and furniture.



## Lighting Solutions

Domus Line Lighting P.4-25

---

Domus Line Strip Lighting P.26-27

---

Domus Line IR Motion Switch P.28

---

Domus Line LED Drivers P.29

---

Domus Line Extension Cables P.30

---

OmniGlow LED Cabinet Lighting P.31

---



## Domus Line Lighting



## Giza

- ✓ Made in Italy
- ✓ 24 LEDs - Total 1.7w
- ✓ 24 Volt
- ✓ 18/10 Brushed stainless body
- ✓ 2m cable with MiniPlug connector
- ✓ Match dot colour for compatible LED driver
- ✓ Fitting only. For LED drivers see page P.29

Part No.	Light Colour	Finish	Price 5	Price ea	Per
● DGZ.WW	Warm White	SS			ea
● DGZ.CW	Cool White	SS			ea





### Giza Kit

Set of 3 lights with 24 Volt LED driver included (D24.15 page P.29)

Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per kit
DGZS3.WW	Warm White	SS			kit
DGZS3.CW	Cool White	SS			kit



Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5500 ° Kelvin	3000 ÷ 3200 ° Kelvin
Luminous Flux	70,5 lm/W	70,5 lm/W
CRI - Colour Rendering	Ra 70	Ra 80
Luminous Distribution	Flood	Flood



Cool white 5000 ÷ 5500 °K GIZA flood beam	
cm	lux
30	880
50	400
	ø 65
	ø 90



Warm white 3000 ÷ 3200 °K GIZA flood beam	
cm	lux
30	700
50	320
	ø 65
	ø 90



#### Metris

- ✓ Made in Italy
- ✓ 24 LEDs - Total 1.7w
- ✓ 24 Volt
- ✓ 2m cable with MiniPlug connector
- ✓ Available in Chrome Plated or Satin Nickel
- ✓ 8mm installation depth
- ✓ Match dot colour for compatible LED driver
- ✓ **Fitting only. For LED drivers see page P.29**

Part No.	Light Colour	Finish	Price 5	Price ea	Per
DM.WW	Warm White	CP, SN			ea
DM.CW	Cool White	CP, SN			ea





### Metris Kit

Set of 3 lights with 24 Volt LED driver included (D24.15 page P.29)

Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per
DMS3.WW	Warm White	CP, SN			kit
DMS3.CW	Cool White	CP, SN			kit



Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5500 ° Kelvin	3000 ÷ 3200 ° Kelvin
Luminous Flux	70,5 lm/W	70,5 lm/W
CRI - Colour Rendering	Ra 70	Ra 80
Luminous Distribution	Flood	Flood



Cool white 5000 ÷ 5500 °K METRIS flood beam	
cm	lux
30	880
50	400
	Ø 65
	Ø 90



Warm white 3000 ÷ 3200 °K METRIS flood beam	
cm	lux
30	700
50	320
	Ø 65
	Ø 90



### Metris SP

- ✓ Made in Italy
- ✓ 24 LEDs - Total 1.7w
- ✓ 24 Volt
- ✓ 2m cable with MiniPlug connector
- ✓ Available in Chrome Plated or Satin Nickel
- ✓ Surface mount
- ✓ Match dot colour for compatible LED driver
- ✓ Fitting only. For LED drivers see page P.29

Part No.	Light Colour	Finish	Price 5	Price ea	Per
DMSP.WW	Warm White	CP, SN			ea
DMSP.CW	Cool White	CP, SN			ea





### Metris SP Kit

Set of 3 lights with 24 Volt LED driver included (D24.15 page P.29)

Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per
DMSP3.WW	Warm White	CP, SN			kit
DMSP3.CW	Cool White	CP, SN			kit



Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5500 ° Kelvin	3000 ÷ 3200 ° Kelvin
Luminous Flux	70,5 lm/W	70,5 lm/W
CRI - Colour Rendering	Ra 70	Ra 80
Luminous Distribution	Flood	Flood



Cool white 5000 ÷ 5500 °K METRIS flood beam	
cm	lux
30	880
50	400
	ø 65
	ø 90



Warm white 3000 ÷ 3200 °K METRIS flood beam	
cm	lux
30	700
50	320
	ø 65
	ø 90



**Metris OB**

- ✓ Made in Italy
- ✓ 24 LEDs - Total 1.7w
- ✓ 24 Volt
- ✓ 2m cable with MiniPlug connector
- ✓ Available in Chrome Plated or Satin Nickel
- ✓ Angled surface mount
- ✓ Match dot colour for compatible LED driver
- ✓ **Fitting only. For LED drivers see page P.29**

Part No.	Light Colour	Finish	Price 5	Price ea	Per
● DMOB.WW	Warm White	CP, SN			ea
● DMOB.CW	Cool White	CP, SN			ea





### Metris OB Kit

Set of 3 lights with 24 Volt LED driver included (D24.15 page P.29)

Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per
DMOBS3.WW	Warm White	CP, SN			kit
DMOBS3.CW	Cool White	CP, SN			kit



Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5500 ° Kelvin	3000 ÷ 3200 ° Kelvin
Luminous Flux	70,5 lm/W	70,5 lm/W
CRI - Colour Rendering	Ra 70	Ra 80
Luminous Distribution	Flood	Flood



Cool white 5000 ÷ 5500 °K METRIS flood beam	
cm	lux
30	880
50	400
	Ø 65
	Ø 90



Warm white 3000 ÷ 3200 °K METRIS flood beam	
cm	lux
30	700
50	320
	Ø 65
	Ø 90



## Pixel V09

- ✓ Made in Italy
- ✓ High power 1.2w LED
- ✓ 12v, 350mA
- ✓ 2m cable with BUS connector
- ✓ Solid brass housing
- ✓ High efficiency optics giving a 40° beam angle
- ✓ Available in Chrome Plated or Satin Nickel
- ✓ Flush mounted
- ✓ Match dot colour for compatible LED driver
- ✓ Fitting only. For LED drivers see page P.29

Part No.	Light Colour	Finish	Price 5	Price ea	Per
● DPX.WW	Warm White	CP, SN			ea
● DPX.CW	Cool White	CP, SN			ea






Pixel V09 Kit

Set of 3 lights with 12 Volt LED driver included (D6.350 page P.29)

Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per
DPXS3.WW	Warm White	CP, SN			kit
DPXS3.CW	Cool White	CP, SN			kit



Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5650 ° Kelvin	3050 ÷ 3250 ° Kelvin
Luminous Flux	80 lm/W	50 lm/W
CRI - Colour Rendering	Ra 70	Ra 80
Luminous Distribution	Medium (40°)	Medium (40°)



Cool white PIXEL V09		5000 ÷ 5650 °K medium beam	
cm		lux	
30		1280	
50	ø 60	600	
	ø 70		



Warm white PIXEL V09		3050 ÷ 3250 °K medium beam	
cm		lux	
30		1020	
50	ø 60	480	
	ø 70		



## Pixel OB V09

- ✓ Made in Italy
- ✓ High power 1.2w LED
- ✓ 12v, 350mA
- ✓ 2m cable with BUS connector
- ✓ Solid brass housing
- ✓ High efficiency optics giving a 40° beam angle
- ✓ Available in Chrome Plated or Satin Nickel
- ✓ Angled surface mount
- ✓ Match dot colour for compatible LED driver
- ✓ Fitting only. For LED drivers see page P.29

Part No.	Light Colour	Finish	Price 5	Price ea	Per
● DPXOB.WW	Warm White	CP, SN			ea
● DPXOB.CW	Cool White	CP, SN			ea






Pixel OB V09 Kit

Set of 3 lights with 12 Volt LED driver included (D6.350 page P.29)



Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per
DPXOBS3.WW	Warm White	CP, SN			kit
DPXOBS3.CW	Cool White	CP, SN			kit

Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5650 ° Kelvin	3050 ÷ 3250 ° Kelvin
Luminous Flux	80 lm/W	50 lm/W
CRI - Colour Rendering	Ra 70	Ra 80
Luminous Distribution	Medium (40°)	Medium (40°)



Cool white 5000 ÷ 5650 °K PIXEL V09 medium beam	
cm	lux
30	1280
50	600
	Ø 60
	Ø 70



Warm white 3050 ÷ 3250 °K PIXEL V09 medium beam	
cm	lux
30	1020
50	480
	Ø 60
	Ø 70



### Pixel SP V09

- ✓ Made in Italy
- ✓ High power 1.2w LED
- ✓ 12v, 350mA
- ✓ 2m cable with BUS connector
- ✓ Solid brass housing
- ✓ High efficiency optics giving a 40° beam angle
- ✓ Available in Chrome Plated or Satin Nickel
- ✓ Surface mount
- ✓ Match dot colour for compatible LED driver
- ✓ **Fitting only. For LED drivers see page P.29**

Part No.	Light Colour	Finish	Price 5	Price ea	Per
● DPXSP.WW	Warm White	CP, SN			ea
● DPXSP.CW	Cool White	CP, SN			ea







Pixel SP V09 Kit

Set of 3 lights with 12 Volt LED driver included (D6.350 page P.29)



Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per
DPXSPS3.WW	Warm White	CP, SN			kit
DPXSPS3.CW	Cool White	CP, SN			kit

Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5650 ° Kelvin	3050 ÷ 3250 ° Kelvin
Luminous Flux	80 lm/W	50 lm/W
CRI - Colour Rendering	Ra 70	Ra 80
Luminous Distribution	Medium (40°)	Medium (40°)



Cool white 5000 ÷ 5650 °K PIXEL V09 medium beam	
cm	lux
30	1280
50	600
ø 60	
ø 70	



Warm white 3050 ÷ 3250 °K PIXEL V09 medium beam	
cm	lux
30	1020
50	480
ø 60	
ø 70	



#### Glam HP

- ✓ Made in Italy
- ✓ High power 1.2w LED
- ✓ 12v, 350mA
- ✓ 2m cable with polarised BUS connector
- ✓ Polycarbonate diffuser with 60° lens
- ✓ Surface mounted with hidden screws
- ✓ Available in Aluminium or Stainless Steel finish
- ✓ Match dot colour for compatible LED driver
- ✓ Fitting only. For LED drivers see page P.29

Part No.	Light Colour	Finish	Price 5	Price ea	Per
● DGHP.WW	Warm White	SS, ALU			ea
● DGHP.CW	Cool White	SS, ALU			ea







### Glam HP Kit

Set of 3 lights with 12 Volt LED driver included (D6.350 page P.29)

Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per
DGHPS3.WW	Warm White	SS, ALU			kit
DGHPS3.CW	Cool White	SS, ALU			kit



Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5700 ° Kelvin	3050 ÷ 3250 ° Kelvin
Luminous Flux	91 ÷ 118 lm/W	54 ÷ 70 lm/W
CRI - Colour Rendering	Ra 93	Ra 93
Luminous Distribution	Medium (60°)	Medium (60°)



Cool white 5000 ÷ 5700 °K GLAM HP medium beam	
cm	lux
30	460
50	205
	Ø 50
	Ø 65



Warm white 3050 ÷ 3250 °K GLAM HP medium beam	
cm	lux
30	280
50	130
	Ø 50
	Ø 65



#### Slide HP

- ✓ Made in Italy
- ✓ High power 1.2w LED
- ✓ 12v, 350mA
- ✓ 2m cable with polarised BUS connector
- ✓ Polycarbonate diffuser with 60° lens
- ✓ Recess mounted with hidden screws
- ✓ Available in Aluminium or Stainless Steel finish
- ✓ Match dot colour for compatible LED driver
- ✓ Fitting only. For LED drivers see page P.29

Part No.	Light Colour	Finish	Price 5	Price ea	Per
● DSLHP.WW	Warm White	SS, ALU			ea
● DSLHP.CW	Cool White	SS, ALU			ea







### Slide HP Kit

Set of 3 lights with 12 Volt LED driver included (D6.350 page P.29)



Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per
DSLHPS3.WW	Warm White	SS, ALU			kit
DSLHPS3.CW	Cool White	SS, ALU			kit

Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5700 ° Kelvin	3050 ÷ 3250 ° Kelvin
Luminous Flux	91 ÷ 118 lm/W	54 ÷ 70 lm/W
CRI - Colour Rendering	Ra 93	Ra 93
Luminous Distribution	Medium (60°)	Medium (60°)



Cool white SLIDE HP		5000 ÷ 5700 °K
		medium beam
cm	lux	
30	460	
50	205	Ø 50
		Ø 65



Warm white SLIDE HP		3050 ÷ 3250 °K
		medium beam
cm	lux	
30	280	
50	130	Ø 50
		Ø 65



#### Shine HP

- ✓ Made in Italy
- ✓ High power 1.2w LED
- ✓ 12v, 350mA
- ✓ 2m cable with polarised BUS connector
- ✓ Polycarbonate diffuser with 60° lens
- ✓ Recess mounted with hidden screws
- ✓ Available in Aluminium or Stainless Steel finish
- ✓ Match dot colour for compatible LED driver
- ✓ Fitting only. For LED drivers see page P.29

Part No.	Light Colour	Finish	Price 5	Price ea	Per
● DSHHP.WW	Warm White	SS, ALU			ea
● DSHHP.CW	Cool White	SS, ALU			ea







### Shine HP Kit

Set of 3 lights with 12 Volt LED driver included (D6.350 page P.29)



Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per
DSHHP3.WW	Warm White	SS, ALU			kit
DSHHP3.CW	Cool White	SS, ALU			kit

Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5700 ° Kelvin	3050 ÷ 3250 ° Kelvin
Luminous Flux	91 ÷ 118 lm/W	54 ÷ 70 lm/W
CRI - Colour Rendering	Ra 93	Ra 93
Luminous Distribution	Medium (60°)	Medium (60°)



Cool white SHINE HP		5000 ÷ 5700 °K medium beam	
cm		lux	
30		460	
50	Ø 50	205	
	Ø 65		



Warm white SHINE HP		3050 ÷ 3250 °K medium beam	
cm		lux	
30		280	
50	Ø 50	130	
	Ø 65		



#### Posh HP

- ✓ Made in Italy
- ✓ High power 1.2w LED
- ✓ 12v, 350mA
- ✓ 2m cable with polarised BUS connector
- ✓ Polycarbonate diffuser with 60° lens
- ✓ Recess mounted with hidden screws
- ✓ Available in Aluminium or Stainless Steel finish
- ✓ Match dot colour for compatible LED driver
- ✓ Fitting only. For LED drivers see page P.29

Part No.	Light Colour	Finish	Price 5	Price ea	Per
● DPHP.WW	Warm White	SS, ALU			ea
● DPHP.CW	Cool White	SS, ALU			ea







### Posh HP Kit

Set of 3 lights with 12 Volt LED driver included (D6.350 page P.29)



Part No.	Light Colour	Finish	Price 5 kit	Price kit	Per
DPHPS3.WW	Warm White	SS, ALU			kit
DPHPS3.CW	Cool White	SS, ALU			kit


Colour Appearance	Cool white	Warm white
Colour Temperature	5000 ÷ 5700 ° Kelvin	3050 ÷ 3250 ° Kelvin
Luminous Flux	91 ÷ 118 lm/W	54 ÷ 70 lm/W
CRI - Colour Rendering	Ra 93	Ra 93
Luminous Distribution	Medium (60°)	Medium (60°)



Cool white POSH HP		5000 ÷ 5700 °K medium beam	
cm		lux	
30		460	
50	Ø 50	205	
	Ø 65		



Warm white POSH HP		3050 ÷ 3250 °K medium beam	
cm		lux	
30		280	
50	Ø 50	130	
	Ø 65		





Domus Line Strip Lighting

Idea HP

- ✓ Made in Italy
- ✓ Rigid strip containing 24 high efficiency LED's
- ✓ Can be installed on any flat surface, inside aluminium profiles or in grooves
- ✓ Can be joined together to create a continuous row up to 3m in length
- ✓ 12v, 1.4w per section
- ✓ Available in Cool White or Cool Blue
- ✓ Power connecting cable and interconnecting cables sold separately
- ✓ Match dot colour for compatible LED driver
- ✓ **Fittings only. For LED drivers see page P.29**

Part No.	Description	Price 5	Price ea	Per
• DIRSL.CW	Cool White			ea
• DIRSL.CB	Cool Blue			ea
• DIRSL.2PC	2 metre power supply cable			ea
• DIRSL.0035	35mm interconnecting cable			ea
• DIRSL.0300	300mm interconnecting cable			ea
• DIRSL.2000	2m interconnecting cable			ea



Cool white IDEA HP	5000 ÷ 6000 °K flood beam
cm	lux
30	365
50	120





### Flexyled


- ✓ Made in Italy
- ✓ Flexible LED strip 3m in length
- ✓ Can be shortened in 50mm increments
- ✓ Strong self adhesive backing
- ✓ Water resistant to IP64
- ✓ 12v, 14.4w (at full 3m length)
- ✓ Tough transparent protective resin construction
- ✓ Cool White only
- ✓ Match dot colour for compatible LED driver
- ✓ LED strip only. For LED drivers see page P.29



Part No.	Light Colour	Price 5	Price ea	Per
● DFLX.CW	Cool White			ea



Cool white FLEXYLED	5000 ÷ 5500 °K	flood beam
cm		lux
30		480
50		310







Domus Line IR Motion Switch

IR Motion Switch

- ✓ 12 or 24 volt
- ✓ Can be used in non-contact on/off switch mode or in proximity switch mode
- ✓ Detection distance of 0.5mm - 40mm
- ✓ Fast and easy mode change
- ✓ Miniplug distribution block with provision for 3 lights up to 24V, 30W
- ✓ Match dot colour for compatible LED drivers and light fittings

Part No.	Finish	Price 5	Price ea	Per
• • • DIR1224	WH			ea



## Domus Line LED Drivers

### LED Drivers - 12 Volt

- Match dot colour for suitable light fittings and accessories on previous pages
- Multiple drivers may need to be used in an installation to ensure adequate power supply
- Supplied with lead and plug fitted
- Add up total wattage of light fittings and ensure that driver wattage is at least 10% more than total light wattage


Part No.	Maximum Wattage	Price 5	Price ea	Per
● D6.350	6W			ea
● D17.350	17W		Coming Soon	ea
● D12.700	12W			ea



### LED Drivers - 24 Volt

- Match dot colour for suitable light fittings and accessories on previous pages
- Multiple drivers may need to be used in an installation to ensure adequate power supply
- Supplied with lead and plug fitted
- Add up total wattage of light fittings and ensure that driver wattage is at least 10% more than total light wattage

Part No.	Maximum Wattage	Price 5	Price ea	Per
● D24.15	15W			ea
● D24.30	30W		Coming Soon	ea



## Domus Line Extension Cables

### Extension Cables

- ✓ Used for extending cables from LED driver to distribution block
- ✓ Suitable for blue dot fittings and LED drivers only

Part No.	Length	Price 5	Price ea	Per
● DEXTHP.1M	1 metre			ea
● DEXTHP.2M	2 metres			ea

### Distributor Block Extension

- ✓ Used for adding additional connectors to LED drivers
- ✓ Adds an additional 3 connectors
- ✓ Suitable for blue dot fittings and LED drivers only

Part No.	Price 5	Price ea	Per
● DBEXT			ea

## Omniglow LED Cabinet Lighting

### LED Cabinet Light - Small

- ✓ 4 Super bright LEDs
- ✓ Door activation switch
- ✓ Compact size in 3 popular colours - black, white and brown
- ✓ Supplied with 3 x AAA batteries

Part No.	Finish	Price 5	Price ea	Per
OM7504	BL, BR, WH			ea



### LED Cabinet Light - Large

- ✓ 7 Super bright LEDs
- ✓ Door activation switch
- ✓ Available in Silver/Black
- ✓ Supplied with 3 x AAA batteries

Part No.	Finish	Price 5	Price ea	Per
OM8502	BLSL			ea





ORDERING MADE EASY  
FREE CALL 1800 101 009

All prices plus GST

Phone 02 9548 4888

Fax 02 9548 6191

Email [sales@furnware.net.au](mailto:sales@furnware.net.au)

Website [www.furnware.net.au](http://www.furnware.net.au)

Postal PO Box 250 Engadine NSW 2233

Warehouse & Showroom 18 Burns Road

Heathcote NSW 2233